



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/016,693	10/30/2001	Michael D. Lammert	12-1233	2474

27160 7590 05/04/2005

KATTEN MUCHIN ROSENMAN LLP
525 WEST MONROE STREET
CHICAGO, IL 60661-3693

EXAMINER

MALDONADO, JULIO J

ART UNIT	PAPER NUMBER
----------	--------------

2823

DATE MAILED: 05/04/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/016,693

Applicant(s)LAMMERT, MICHAEL D. (m)**Examiner**

Julio J. Maldonado

Art Unit

2823

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 10 February 2005.
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
4a) Of the above claim(s) 13-24 is/are withdrawn from consideration.
5) ☐ Claim(s) _____ is/are allowed.
6) ☒ Claim(s) 1,2 and 4-12 is/are rejected.
7) ☒ Claim(s) 3 is/are objected to.
8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. The rejection as set forth in Paper mailed on 10/05/2004 is withdrawn in view of Applicants' amendments and response filed on 02/10/2005.
2. Claims 1-24 are pending in the Application, wherein claims 13-24 were withdrawn from consideration.

Claim Objections

3. Claim 1 is objected to because of the following informalities: in claim 1, line 11, where Applicants claim "...removing the seed layer not under the lower level layer...", change to --removing the seed layer not under the lower metal layer--. Appropriate correction is required.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1 and 2 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brighton et al. (U.S. 5,132,775) in view of Rhodes et al. (U.S. 4,536,951) and Wolf (Silicon Processing for the VLSI Era, Volume 2: Process Integration).

Brighton et al. (Figs.1-6) teach a method of forming interconnects including providing a semiconductor device (10) having a lower level layer including insulation layers (column 5, lines 3 – 10); forming a seed layer (22) on top of said lower level layer; forming a lower metal layer (12) on said seed layer (22); forming one or more vias

Art Unit: 2823

(28) from a photoresist (26) on said lower metal layer (12); plating said vias (28) defining plated pillars (16); removing the seed layer (22) not under the lower metal layer (12); forming on said one or more plated pillars and said seed layer with a dielectric layer (42) which can be planarized to expose said top surfaces of said plated pillars (16 and column 4, lines 46 – 68); and forming a metal layer (44) to contact said exposed top surfaces of said plated pillars (16) (column 2, line 66 – column 6, line 19).

Brighton et al. fail to teach wherein said dielectric material is a low dielectric polymer coated and cured on said one or more plated pillars and seed layer. However, Rhodes et al. (Figs.1-5) teach a method of forming a layered structure including the steps of forming a lower metal layer (2) on a surface of a substrate (4); forming an upper metal layer (8) on said lower metal layer (2); and forming on said lower metal layer (2) and said upper metal layer (8) a polyimide layer (12), wherein said forming further includes coating and curing said polyimide (12), wherein the metal layers are selected from the group including aluminum and copper (column 2, line 61 – column 3, line 50).

Furthermore, according to Wolf (Silicon Processing for the VLSI Era, Volume 2: Process Integration, pages 214 and 215) polyimides are well-known material used as planarizing interlevel dielectric layers because it can tolerate high temperatures without degradation, low dielectric constant and are free of pinholes and cracks.

Therefore, It would have been within the scope of one of ordinary skill in the art to combine the teachings of Brighton et al. and Rhodes et al. to enable forming the dielectric layer in Brighton et al. according to the teachings of Rhodes because one of

ordinary skill in the art at the time the invention was made would have been motivated to look to alternative suitable methods of forming the dielectric layer of Brighton et al. and art recognized suitability for an intended purpose has been recognized to be motivation to combine. MPEP 2144.07.

6. Claims 4 and 5 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brighton et al. (U.S. 5,132,775) in view of Rhodes et al. (U.S. 4,536,951) and Wolf (Silicon Processing for the VLSI Era, Volume 2: Process Integration) as applied to claims 1 and 2 above, and further in view of Lin (U.S. 5,929,525).

The combined teachings of Brighton et al., Rhodes et al. and Wolf substantially teach all aspects of the invention but fail to disclose applying a dielectric layer over the lower and upper metal layer, wherein said dielectric layer is selected from the group including silicon oxide. However, Lin (Figs.1-9) teach a method of forming multilevel interconnects including the steps of providing a metal pillar (12) on a lower metal layer (9); and applying a silicon oxide layer (13) on the lower metal layer (9) and the metal pillar (12) (column 4, lines 19 – 44). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention made to enable forming the dielectric layer disclosed in Lin in the multilevel interconnect method of Brighton et al., Rhodes et al. and Wolf because this would provide passivation for the metal pillar structures (column 4, lines 19 – 44).

7. Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brighton et al. (U.S. 5,132,775) in view of Rhodes et al. (U.S. 4,536,951), Wolf (Silicon Processing for the VLSI Era, Volume 2: Process Integration) and Lin (U.S. 5,929,525)

Art Unit: 2823

as applied to claims 1, 2, 4 and 5 above, and further in view of Tsai et al. (U.S. 5,252,515).

The combination of Brighton et al., Rhodes et al., Wolf and Lin teach applying a dielectric layer comprising silicon oxide (Lin, column 4, lines 19 – 44), but fail to teach the dielectric layer comprising silicon nitride. However, Tsai et al. teach a method of forming an interconnect structure including the steps of forming a passivation layer (23); and coating said passivation layer (22, 23) with an SOG layer (24), wherein said passivation layer (23) is either silicon oxide or silicon nitride (Tsai et al., column 5, lines 1 – 49). It would have been within the scope of one of ordinary skill in the art to combine the teachings of Brighton et al., Rhodes et al., Wolf and Lin with Tsai et al. to enable forming the passivation layer of Brighton et al., Rhodes et al., Wolf and Lin using the materials according to the teachings of Tsai et al. because one of ordinary skill in the art at the time the invention was made would have been motivated to look to alternative suitable methods of forming the disclosed passivation layer of Brighton et al., Rhodes et al., Wolf and Lin and art recognized suitability for an intended purpose has been recognized to be motivation to combine. MPEP 2144.07.

8. Claims 7 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brighton et al. (U.S. 5,132,775) in view of Rhodes et al. (U.S. 4,536,951) and Wolf (Silicon Processing for the VLSI Era, Volume 2: Process Integration) as applied to claims 1 and 2 above, and further in view of Hendricks et al. (U.S. 6,153,525).

The combined teachings of Brighton et al., Rhodes et al. and Wolf substantially teach all aspects of the invention but fail to disclose wherein the step of coating

Art Unit: 2823

comprises coating said one or more plated pillars and said lower metal layer with a silicon-based polymer. However, Hendricks et al. teach a method of forming a planarized dielectric layer by spin-on techniques, wherein said layer is selected from the group including polyimides, silicon-based polymers and benzocyclobutene (column 4, lines 13 – 20). It would have been within the scope of one of ordinary skill in the art to combine the teachings of Brighton et al., Rhodes et al. and Wolf with Hendricks et al. to enable forming the dielectric layer of Brighton et al., Rhodes et al. and Wolf according to the teachings of Hendricks et al. because one of ordinary skill in the art at the time the invention was made would have been motivated to look to alternative suitable methods of forming the disclosed dielectric layer of Brighton et al., Rhodes et al. and Wolf and art recognized suitability for an intended purpose has been recognized to be motivation to combine. MPEP 2144.07.

9. Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brighton et al. (U.S. 5,132,775) in view of Rhodes et al. (U.S. 4,536,951), Wolf (Silicon Processing for the VLSI Era, Volume 2: Process Integration) and Hendricks et al. (U.S. 6,153,525) as applied to claims 1, 2, 7 and 8 above, and further in view of the Applicants' Admitted Prior Art.

The combined teachings of Brighton et al., Rhodes et al., Wolf and Hendricks et al. substantially teach all aspects of the invention but fail to disclose coating the lower metal layer and the plated pillars with polynorbornene. However, the submitted prior art teaches wherein in practical applications, a polymer such as benzocyclobutene and polynorbornene, is known to be coated over a conventional dielectric, such as silicon

Art Unit: 2823

dioxide or silicon nitride, on a wafer with metal layers and other topology formed thereon (page 1, [0003] – page 3, [0008]). It would have been within the scope of one of ordinary skill in the art to combine the teachings of Brighton et al., Rhodes et al., Wolf and Hendricks et al. with the prior art to enable the applying and coating step of Brighton et al., Rhodes et al., Wolf and Hendricks et al. to be performed according to the teachings of the prior art because one of ordinary skill in the art at the time the invention was made would have been motivated to look to alternative suitable methods of performing the disclosed coating step of Brighton et al., Rhodes et al. and Wolf and art recognized suitability for an intended purpose has been recognized to be motivation to combine. MPEP 2144.07.

10. Claims 10 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Brighton et al. (U.S. 5,132,775) in view of Rhodes et al. (U.S. 4,536,951) and Wolf (Silicon Processing for the VLSI Era, Volume 2: Process Integration) as applied to claims 1 and 2 above, and further in view of Furukawa et al. (U.S. 6,387,783 B1).

The combined method of Brighton et al., Rhodes et al. and Wolf teach using a photoresist to form the plated pillars but fail to expressly teach using a photoresist with a re-entrant profile and using a negative i-line resist. However, Furukawa et al. (Figs.2A-2E) in a related method to pattern a metal layer teach using a photoresist (201) with a re-entrant profile and using a negative i-line resist (column 1, line 43 – 65). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to combine the teachings of Brighton et al., Rhodes et al. and Wolf with Furukawa et al. to enable using a photoresist as taught by Furukawa et al., since this

Art Unit: 2823

would improve linewidth control in a multilayered stack (Furukawa et al., column 1, lines 25 – 33).

11. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Brighton et al. (U.S. 5,132,775) in view of Rhodes et al. (U.S. 4,536,951), Wolf (Silicon Processing for the VLSI Era, Volume 2: Process Integration) and Furukawa et al. (U.S. 6,387,783 B1) as applied to claims 1, 2, 10 and 11 above, and further in view of Samoto (U.S. 5,583,063).

The combined teachings of Brighton et al., Rhodes et al., Wolf and Furukawa et al. teach using a negative photoresist to define a pattern (Furukawa et al., column 1, line 43 – 65) but fail to expressly teach using a NH_3 image reversal of a photoresist. However, Samoto (Figs.2A-2H) is related to define a pattern for a semiconductor device teaches using a NH_3 image reversal of a photoresist (column 4, lines 18 – 36). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to use the photoresist of Samoto in the interconnect formation method of Brighton et al., Rhodes et al., Wolf and Furukawa et al., since this would allow the formation of defined small-sized patterns (column 2, lines 47-50).

Allowable Subject Matter

12. Claim 3 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

13. Applicant's arguments with respect to claims 1-12 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion


14. Any inquiry concerning this communication or earlier communications from the examiner should be directed to examiner Julio J. Maldonado whose telephone number is (571) 272-1864. The examiner can normally be reached on Monday through Friday.

15. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Olik Chaudhuri, can be reached on (571) 272-1855. The fax number for this group is 703-872-9306 for before final submissions, 703-872-9306 for after final submissions and the customer service number for group 2800 is (703) 306-3329.

Updates can be found at <http://www.uspto.gov/web/info/2800.htm>.

Julio J. Maldonado
Patent Examiner
Art Unit 2823

Julio J. Maldonado
April 27, 2005


George Fourson
Primary Examiner